



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 82

CASE NO. 648 P

TYPE OF ACCIDENT CAR/PEDESTRIAN RUNNING

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle #1 was northbound on a 2-lane, 2-way street attempting a right turn at an intersection. A pedestrian was running southbound in a crosswalk carrying a baby in her left arm. The pedestrian ran slightly to the left to avoid Vehicle #1 and extended her right hand as the front right corner of Vehicle #1 impacted her right leg and side. The pedestrian was shunted to the right of Vehicle #1 off the right fender and came to rest on her back with the baby in her lap as the driver made an abrupt stop after the impact.

B. PEDESTRIAN PROFILE										
Pedestrian			Treatment/	Most Severe Injury atment/ (TO BE COMPLETED BY ZONE CENTER)						
No.	. Age Sex Mortality		Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	29	Female :	Hospitalized	Lower Extremity	Skeletal	3	Front Bumper			

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severit

		C. VEH	ICLE PROFIL	E
	Class		В	Most Severe Damage Based on Vehicle Inspection
Vehicle No.	of Year/Make/Model Vehicle		Damage Plane	Damage Description
01	Intermediate	92/Cadillac/ El Dorado	Front	Minor - smears, color transfer

DO NOT SANITIZE THIS FORM



U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM


NATIONAL ACCIDENT SAMPLE PEDESTRIAN CRASH SYSTEM A STUDY National Highway Traffic Safety Administration Indicate PSU No. North P Case Number - Stratum sidwalk 8 sideralk Ø 5, deroof Sidewalk

Scale: 1 centimeter = 2,5 meters



U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM



Scale: 1 centimeter =

meters



U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration			PEDESTRIAN CRASH DATA STUDY
Primary Sampling Unit Number		Case Numb	er-Stratum 6 P
PEDESTRIAN ACCIDENT CO	LLISION DATA COLLECTION	DN - P	SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	Concrete.	north arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	· dell	grade measurements for all applicable roadways
a) vehicle skid marks	Coefficient of Friction	-100	scaled representations of the physical plant including:
b) pedestrian contacts with ground or object	Grade (v/h) Measurement	7/122	a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) b) all terffic controls (e.g., lights, signs)
c) vehicle/pedestrian point of impact (POI) d) location of pedestrian separation point from vehicle	a) at impact b) between impact and final rest	7/122	b) all traffic controls (e.g., lights, signs) scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either:
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Travel Direction	South a) physical evidence, or
documentation of the physical plant including:	Vehicle Travel Direction	Hardy to Frost) reconstructed accident dynamics
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Travel Lanes		
b) all traffic controls (e.g., lights, signs)			
Reference Point: Light Pole	Re	eference Line: South	lub Edge
	Di	stance and Direction	Distance and Direction
Item	i -	om Reference Point	from Reference Line
Approximate Pon			
of Impa	<u>カ _</u>	· ら い	1.910
'			

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
	-	

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number

2. Case Number - Stratum



IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. SS15 Administrative Use

7. ✓ SS16 Pedestrian Crash Data Study 1

0 SS17 Impact Fires

0 **SS18**

SS19 _0_

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS							
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage	
12. <u>0 1</u>	13. <u>0</u> <u>1</u>	14. 03	15.	16. <u>7 2</u>	17. <u>0 0</u>	18. <u>0</u>	

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

National Highway Traffic Safety Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 10. Pedestrian's Weight Code actual weight to the nearest kilogram. 2. Case Number - Stratum (999) Unknown pounds X .4536 = ____ kilograms 0 1 3. Pedestrian Number PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 4. Pedestrian's Age 11. Pedestrian Attitude Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouchina (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify): (9) Unknown 5. Pedestrian's Sex (1) Male 12. Pedestrian Motion (2) Female - not reported pregnant (0) Not moving (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running or jogging (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify):_____ centimeter. (9) Unknown (999)_ Unknown inches X 2.54 = ____ centimeters 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest (03) Moving in road, with traffic centimeter. (04) Moving in road, against traffic (999) Unknown (05) Off road, approaching road ____ inches X 2.54 = ___ centimeters (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway 8. Pedestrian's Height - Ground to Hip Off road, moving along driveway (09)Code to the nearest (98) Other (specify): _____ centimeter. (99) Unknown (999) Unknown inches X 2.54 = ____ centimeters 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to **Avoidance Actions** 9. Pedestrian's Height - Ground to Shoulder (1) Facing vehicle Code to the nearest (2) Facing away centimeter. (3) Left side to vehicle (999) Unknown Right side to vehicle (4) inches X 2.54 = ____ centimeters Other (specify): ____ (8) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS 18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest 15. Pedestrian's First Avoidance Actions (00) No avoidance actions (03) Hands clasped behind back (01) Stopped (02) Accelerated pace (04) Hands on hips (05) Hands in pockets (03) Ran away (along vehicle path) (04) Jumped One or both arms: (05) Turned toward vehicle (06) Extended upward (06) Turned away from vehicle (07) Extended to side (08) Extended forward bracing (07) Dove or fell away (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, Used hand(s) to: (11) Vault corner of vehicle grocery bag, etc.) in arm(s) (12) Vault onto vehicle Y (13) Brace against vehicle (11) Holding object (young child, grocery (14) Crouched and braced hands against vehicle (98) Other (specify): bag, etc.) on shoulder(s) or head (98) Other (specify):_ (99) Unknown (99) Unknown 19. Pedestrian's Leg Orientation at Initial Impact (01) Together PEDESTRIAN'S ORIENTATION AT IMPACT (92) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown 16. Pedestrian's Head Orientation (06) Left foot off the ground at Initial Impact (07) Right foot off the ground (1) To front (08) Both feet off the ground (2) To left (98) Other (specify):_____ (3) To right (99) Unknown (4) Up (5) Down 20. Vehicle/Pedestrian's Interaction (8) Other (specify):___ (01) Carried by vehicle, wrapped position (9) Unknown (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top 17. Pedestrian's Body (Chest) Orientation (05) Thrown straight forward at Initial Impact (06) Thrown forward and left of vehicle (1) Facing vehicle (07) Thrown forward and right of vehicle (2) Facing away (08) Knocked to pavement, forward (3) Left side to vehicle (09) Knocked to pavement, left of vehicle (4) Right side to vehicle (10) Knocked to pavement, right of vehicle (8) Other (specify):___ (11) Knocked to pavement, run over or (9) Unknown dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over

(98) Other (specify):____

(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	Q	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test give	46	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown		(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u>\$\Phi\$</u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
		(00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

- 1 and the manager of the property and the property of the second specific to the second of the sec

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
	OS INCLUDED WITH INITIAL SUBMISSION? YES [/] NO [-] YES []



Administration

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

<u>82</u>

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank


INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>Z</u>	6. <u>8</u>	7. <u>5</u>	8. <u>3 4</u>	9. 22	- _{10.} <u>3</u>	11. <u>/</u>	12. <u>700</u>	13./	14.	15. 3	16. 2	17.2
<u>l</u> nd	18. <u>2</u>	19.6	20. 4	21. <u>0 Z</u>	22. <u>7 8</u>	23	24.	25. <u>997</u>	26. <u>/</u>	27.3	28	29. 🗀	30.0
3rd	31.	32	33.	34	35	36	37.	38	39	40	41	42	43
4th	44	45	46	47	48	49	50	51	52	53	54. <u> </u>	55.	56:
5th	57	58	59	60	61	62	63	64	65 :	66	67	68. <u> </u>	69
Sth	70	71	72	73.	74	75	76	77	78	79	80	81	82
7th	83	84.	85	86	87	88	89.	90	91	92	93:	94	95
3th	96	97	98	95,	100	101	102	103	104	105:	106	107	108
)th	109	110	111.	112	113	114	115	116	117:	118	119	120	121.
~	100							129.			132		101

				ILDE	JIMIMI	4 11430	RY DA					
Source		Type of	AIS-90 Specific					Injury Source	Direct/		Туре	
of Injury	Body	Anatomic	Anatomic	Level of	A.I.S.	A	Injury Source	Confidence Level	Indirect Injury	Striking Profile	Of	Damage Depth
Data	Region	Structure	Structure	Injury	Severity	Aspect	Source	Cevei	mjury	rrome	Damage	Deptil
1.					112							
1th		er er							·	· · · ·		
2th					-			1900 (<u> </u>	<u> </u>		-	
3th												
ith	,				. - 1 11							
ith												
ith										<u> </u>		
•••												
7th		- -										-
8th		-								_		
												niet Ejen
9th:					<u> </u>							
Oth:	, sali.		unil a di Reservi									
1st												
nd												
3rd						. —						
4th												
761								. Jani kul ati Jani Lukati				
5th												

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





INJURY SOURCE CONFIDENCE LEVEL SOURCE OF INJURY DATA TYPE OF DAMAGE (0) Injury not from vehicle contact Certain Probable **OFFICIAL** (2) No damage/contact (1) Autopsy records with or without hospital/ Scratch (Scuff, Cloth Transfer, Smear) Possible medical records Unknown (3) Dent (2) Hospital/medical records other than Large deformation emergency room (e.g., discharge DIRECT/INDIRECT INJURY (5) Cracked, fractured, shattered summary) (1) (2) Direct contact injury (6) Separated from vehicle Indirect contact injury (3) Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (8) Injured, unknown source Private physician, walk-in or emergency (9) Unknown STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) (0) Injury not from vehicle contact UNOFFICIAL No residual damage (5) Lay coroner report Surface only damage (6) E.M.S. personnel Rounded (contoured) (3) Crush depth >0 to 2 centimeters (4) (5) Rounded edge (7) Interviewee Crush depth > 2 to 5 centimeters Sharp edge Other (specify): (8) Other source (specify): (8) (5) Crush depth >5 to 10 centimeters (8) Other specify: (9) Police (9) Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION **Abbreviated Injury Scale Specific Anatomic Structure Body Region** Spine (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury Head Moderate injury Serious injury (O6) Lumbar (2) (3) Face (3) (4) Neck (06) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 Severe injury Thorax (08) Skin - Avulsion (5) Critical injury Abdomen Maximum (untreatable) (10) Amputation (20) Burn (6) Spine (6) Injured, unknown severity **Upper Extremity** (7) (8) Lower Extremity (30) Crush Level of Injury (40) Degloving (50) Injury - NFS Aspect Unspecified Specific assigned injuries consecutive Right Type of Anatomic Structure (90) Trauma, other than mechanical two-digit numbers beginning with 02. (2) Left (3) Bilateral Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the organizational framework of the AIS, 00 Central (2) Vessels (5) Anterior (3) Nerves is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (6) (7) (4) Organs (includes muscles/ (10) Concussion Posterior Superior ligaments) Skeletal (includes joints) Inferior structure. 99 is assigned to any injury NFS as to lesion or severity. Head - LOC (9) Unknown Whole region Skin **INJURY SOURCE** Wheels / tires **FRONT** 744 B pillar 790 Left front wheel / tire 700 Front bumper 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 792 Left rear wheel / tire 746 D pillar 702 Front grille 793 Right rear wheel /tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 749 Right side roof rail 798 Other wheel / tire (specify): __ 704 Hood ornament (fixed) 750 Right side door surface 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 754 Right side glazing forward of B pillar 718 Other front or add on object 801 Steering assembly/Front suspension 802 Oil pan 755 Right side glazing rearward of B pillar (specify):_ 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 758 Other right side object 805 Drive shaft Left Side Components 806 Catalytic converter (specify): 720 Front fender side surface 721 Front antenna 759 Unknown right side component 807 Muffler 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar Back Components 810 Rear suspension 724 B pillar 760 Rear (back) bumper 818 Other undercarriage component 725 C pillar 761 Tailgate 726 D pillar 762 Hatchback, vertical surface (specify): 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 769 Unknown back component 729 Left side roof rail **Accessories** 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna Top Components 731 Left side door handle 822 Emergency lights or bar 732 Left side mirror fixed housing 770 Hood surface 771 Hood surface reinforced by under hood 823 Fog lights 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):_ 772 Front fender top surface 735 Left side glazing rearward of B pillar 826 Spare tire 736 Left side back fender or quarter panel 773 Cowl area 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 828 Other accessory (specify): 738 Other left side object 775 Windshield glazing 776 Front header (specify): 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 779 Rear header 948 Other object (specify): Right Side Components 949 Unknown object in environment 740 Front fender side surface 780 Hatchback 959 Unknown object on contacting vehicle 741 Front antenna 781 Rear trunk lid 997 Noncontact injury source 742 A1 pillar 788 Other top component (specify): _

789 Unknown top component

999 Unknown injury source

743 A2 pillar

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

unavailable.)

Blood Alcohol Level (mg/dl)

Glasgow Coma Scale Score


GCSS = 15


Units of Blood Given

Arterial Blood Gases

 $PO_2 =$


PCO₂






OFFICIAL INJURY DATA - INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration **OFFICIAL RECORDS** 1. Primary Sampling Unit Number 2. Case Number - Stratum 9. Police Reported Travel Speed <u>0_1</u> 3. Vehicle Number Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above **VEHICLE IDENTIFICATION** (999) Unknown __ mph X 1.6093 = __ _ kmph 4. Vehicle Model Year Code the last two digits of the model year 10. Speed Limit (99) Unknown (000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown 5. Vehicle Make Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. 11. Police Reported Alcohol Presence For Driver (99) Unknown (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present 6. Vehicle Model (specify): (9) Unknown Applicable codes are found in your NASS PCDS Data Collection, Coding and 12. Alcohol Test Result For Driver Editing Manual. Code actual value (decimal implied (999) Unknown before first digit - 0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test 7. Body Type performed, results unknown Note: Applicable codes may be found on (98) No driver present the back of this page. (99) Unknown Source: 8. Vehicle Identification Number 166EL13BINU

12 13 14 15 16 17

8 9 10 11

Left justify; Slash zeros and letter Z (0 and Z)

No VIN-Code all zeros

Unknown-Code all nines

13. Police Reported Other Drug Presence For Driver

- (0) No other drug(s) present (1) Yes other drug(s) present
- (7) Not reported
- (8) No driver present
- (9) Unknown
- 14. Other Drug Specimen Test Result For Driver
 - (0) No specimen test given
 - (1) Drug not found in specimen
 - (2) Drug found in specimen (specify):_
 - (3) Specimen test given, results unknown or not obtained
 - (8) No driver present
 - (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown Block 1.4536 = 1,635 kgs	18. Impact Speed 6.3 Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown lbs X .4536 =, kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

		1	
23.	Critical Precrash Event		(83) Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:		(specify):
	(01) Blow out or flat tire		(84) Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine	İ	roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)		(85) Pedalcyclist or other nonmotorist—unknown
	(specify):		location (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew		Object or Animal
	up) (specify):		(87) Animal in roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)		(88) Animal approaching roadway
	(specify):		(89) Animal—unknown location
	(06) Traveling too fast for conditions		(90) Object in roadway
	(08) Other cause of control loss (specify):	1	(91) Object approaching roadway
			(92) Object—unknown location
	(09) Unknown cause of control loss		(98) Other critical precrash event (specify):
	This Vehicle Traveling		
	(10) Over the lane line on left side of travel lane		(99) Unknown
	(11) Over the lane line on right side of travel lane		(1)
	(12) Off the edge of the road on the left side	24.	Attempted Avoidance Maneuver
	(13) Off the edge of the road on the right side		(00) No driver present
	(14) End departure	l	(01) No avoidance actions
	(15) Turning left at intersection		(02) Braking (no lockup)
	(16) Turning right at intersection		(03) Braking (lockup)
	(17) Crossing over (passing through) intersection	ŀ	(04) Braking (lockup unknown)
	(19) Unknown travel direction	ļ	(01) No avoidance actions (02) Braking (no lockup) (03) Braking (lockup) (04) Braking (lockup unknown) (05) Releasing brakes
	Other Motor Vehicle In Lane		(00) Steeling left
	(50) Stopped		(07) Steering right
	(51) Traveling in same direction with lower speed		(08) Braking and steering left
	(i.e., lower steady speed or decelerating)		(09) Braking and steering right
	(52) Traveling in same direction with higher speed		(10) Accelerating
	(53) Traveling in opposite direction		(11) Accelerating and steering left
	(54) In crossover		(12) Accelerating and steering right
	(55) Backing		(98) Other action (specify):
	(59) Unknown travel direction of other motor vehicle		(99) Unknown
	in lane	25	Precrash Stability After Avoidance Maneuver
	Other Motor Vehicle Encroaching Into Lane	23.	(0) No driver present
	(60) From adjacent lane (same direction) – over left lane line		(1) No avoidance maneuver
	(61) From adjacent lane (same direction) – over right		(2) Tracking
	lane line		(3) Skidding longitudinally—rotation less than 30
	(62) From opposite direction—over left lane line		degrees
	(63) From opposite direction—over right lane line		(4) Skidding laterally—clockwise rotation
	(64) From parking lane		(5) Skidding laterally—counterclockwise rotation
	(65) From crossing street, turning into same direction		(8) Other vehicle loss-of-control (specify):
	(66) From crossing street, across path	ĺ	10)
	(67) From crossing street, turning into opposite		(9) Precrash stability unknown
	direction	26	Present Directional Consequences of
	(68) From crossing street, intended path not known	20.	Precrash Directional Consequences of
	(70) From driveway, turning into same direction		(0) No driver present
	(71) From driveway, across path		(1) No avoidance maneuver
	(72) From driveway, turning into opposite direction		(2) Vehicle stayed in travel lane where avoidance
	(73) From driveway, intended path not known	1	maneuver was initiated
	(74) From entrance to limited access highway		(3) Vehicle stayed on roadway but left travel lane
	(78) Encroachment by other vehicle—details		where avoidance maneuver was initiated
	unknown		(4) Vehicle stayed on roadway, not known if left
	Pedestrian or Pedalcyclist, or Other Nonmotorist		travel lane where avoidance maneuver was
	(80) Pedestrian in roadway	1	initiated
	(81) Pedestrian approaching roadway	1	(5) Vehicle departed roadway
	too by the transfer of the tra	1	(6) Avoidance maneuver initiated off roadway

(9) Directional consequences unknown

(82) Pedestrian-unknown location

	ENVIRONM	ENTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	(6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	(7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown Roadway Profile (1) Level	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk (9) Unknown
32.	(2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown	37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown


U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN EXTERIOR VEHICLE FORM

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

2. Case Number - Stratum



3. Vehicle Number

0 1

VEHICLE IDENTIFICATION

VIN 1 G 6 EL 1 3 B 1 N U

Model Year

Vehicle Make (specify):

Cadillac

Vehicle Model (specify):

Eldorado

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

Steel

142

cm

153

cm

mamm (m)

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

 $\frac{Q}{Q}$ cm

cm

 $\frac{+2}{2}$ cm

2 cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

275

cm

STG

cm

215

cm


cm

cm

300

NONE

cm




Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

VIN 156421381	N U Model Year Pedestrian Exterior Vehicle Form Page
Vehicle Make (specify):	Vehicle Model (specify):
NOTES: Sketch all pedestrien concesses, include the size and depth in (flateral) and the frant makes denotinated in consumers, denoted by beach discussion of consumers to consumers of consumers and consumers of consumers to consumers of co	ments represent the second sec
Location of the origin (intercept point of the contactine and the	front exists) from the ground:

ون و




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grees in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axies) from the ground:

___cm

PEDESTRIAN SIDE CONTACT W	VORK SHEET
PEV06 Hood Material	
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
VERTICAL MEASUREMEN	TS
PEV26 Ground Clearance	cm
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	cm
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
LATERAL MEASUREMENT	s
PEV35 C _L to A-Pillar at Bottom of Windshield	cm
PEV36 C _L to A-Pillar at Top of Windshield	cm
PEV37 C _L to Maximum Side View Mirror Protrusion	cm
WRAP DISTANCES	,
PEV38 Ground to Side/Top Transition	cm
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cm
PEV41 Ground to Head Contact	cm



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., gress in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

CI

ORIGINAL SPECIFICATIONS inches x = 2.54Wheelbase Overall Length inches $\times 2.54$ inches $\times 2.54$ Maximum Width pounds x .4536 =Curb Weight Average Track inches $\times 2.54$ inches $\times 2.54$ Front Overhang CM inches $\times 2.54$ Rear Overhang Undeformed End Width inches $\times 2.54$ Engine Size: cyl./displ. \times .001 CC CID x .0164 =**INJURY SOURCE** Wheels / tires **FRONT** 790 Left front wheel / tire 744 B pillar 700 Front bumper 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 746 D pillar 792 Left rear wheel / tire 702 Front grille 748 Other pillar (specify):_ 793 Right rear wheel /tire 703 Hood edge and/or trim 798 Other wheel / tire (specify): _ 749 Right side roof rail 704 Hood ornament (fixed) 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 800 Front cross member 753 Right side folding mirror 708 Turn signal/parking lights 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 802 Oil pan 755 Right side glazing rearward of B pillar (specify):_ 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 758 Other right side object 805 Drive shaft Left Side Components 806 Catalytic converter (specify): 720 Front fender side surface 721 Front antenna 759 Unknown right side component 807 Muffler 808 Floor pan 722 A1 pillar 723 A2 pillar 809 Fuel tank **Back Components** 810 Rear suspension 724 B pillar 760 Rear (back) bumper 818 Other undercarriage component 761 Tailgate 725 C pillar (specify): 726 D pillar 762 Hatchback, vertical surface 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 769 Unknown back component Accessories 729 Left side roof rail 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle Top Components 822 Emergency lights or bar 732 Left side mirror fixed housing 770 Hood surface 823 Fog lights 771 Hood surface reinforced by under hood 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):____ 772 Front fender top surface 735 Left side glazing rearward of B pillar 826 Spare tire 736 Left side back fender or quarter panel 773 Cowl area 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 828 Other accessory (specify):_ 738 Other left side object 775 Windshield glazing 776 Front header (specify): Other Object or Vehicle in Environment 739 Unknown left side component 777 Roof surface 778 Backlight glazing 947 Ground 948 Other object (specify): Right Side Components 779 Rear header 780 Hatchback 949 Unknown object in environment 740 Front fender side surface 959 Unknown object on contacting vehicle 741 Front antenna 781 Rear trunk lid 997 Noncontact injury source 788 Other top component (specify): _ 742 A1 pillar 999 Unknown injury source 743 A2 pillar 789 Unknown top component

POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET								
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE
1	Bunger	129	61	0	Lovener	sneonellan	2 3 9	
8	'	<i>[</i> 26]	79	Q	<u> </u>	N	Ø2 3 3	1
9	Headlight	///	Θ	9	Knee	Malmi Bat	2 3 9	2
<u></u>	Hary	90	79	0	OHI)	Color Da	2::	3
0		75	らん	0	- \ 	Stone	2 3 9	η
 	Hook	78	30	O (18 Hong	Stand	1)2 3 9	1
9		18	40	9	Ta '		1 2 3 9	T C
4	/ >	-25	72	0	O KM	Ikaraka	1 2 3 9	(7)
4	B) Garden	-5 55	86	0	A) o	Land of the land	1 2 3 9	5
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	//	93	<u>०७</u> ४५	0	M.Q_ Body	wea -	1 /2 3 9	7
	2) Feels	5	96	Ø	146	Smerred	71 2 3 9	
		76	100	(3)	Hum	wed links		6/
K	side	59	190	0	Own	Syraman Syram	1/2/10	4
a	Brufal	73	/9.0	Ø	Body	anea	1 2 3 9	7.
)	,				1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 4	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

POINTS OF PEDESTRIAN CONTACT -- PEDESTRIAN # 1

विमानका सिक्षा अवसायका अवस्थानमा स्थित

CONTACT ID LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL LOCATION	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
		1-50	+61		1 24		1 2 3 9
8	Jompu	I-50	439		Vo. 100		1 2 3 9
2	Lealligt	I-70	+ 63		Kneo'		1 2 3 9
b	11 9	70	+48				1 2 3 9
0	4000	75	+52				1 2 3 9
9	12	87	55				1 2 3 9
<u>G</u>	1 # de 2	83	70				1 2 3 9
7	11	38	35				1 2 3 9
	1 0	18	40				1 2 3 9
A	11000	125	72				1 2 3 9
7		-5	70				1 2 3 9
7		55	86				1 2 3 9
10		53	86				1 2 3 9
0	Martin Commence of the Commenc	S	94				1 2 3 9
E	With the second	-16	100				1 2 3 9
L Y		59	170				1 2 3 9
4 ts		39	120				1 2 3 9
							1 2 3 9
	***************************************						1 2 3 9
							1 2 3 9
:5%- **							1 2 3 9
					a la constant de la c	in y N	1 2 3 9
AND HELD ON P.		W.34	-		A STATE OF THE STA		1 2 3 9
Abergailer - 1	•						1 2 3 9
							1 2 3 9



POINTS OF PEDESTRIAN CONTACT

CHRONOLOGICAL ORDER OF CONTACTS

CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Cirele)
1							1 2 3 9
2							1 2 3 9
3							1 2 3 9
•							1 2 3 9
5							1 2 3 9
6							1 2 3 9
7							1 2 3 9
ŧ							1 2 3 8
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9 1 2 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
18							1 2 3 9
17	,						1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

VEHICLE DIMENSIONS	177
VEHICLE DIWENSIONS	11. Hood Width Rear Opening
4. Original Wheelbase	Code to thenearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	
. inches X 2.54 = centimeters	inches X 2.54 = centimeters
5. Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width 12	Pedestrian
Code to the nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters)
inches X 2.54 = centimeters	(4) Severe crush (>7 centimeters)
inches X 2.54 = centimeters	(8) Damage present, unknown if damage is from
	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel (4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not
(9) Unknown	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian - unknown if damaged
(2) OEM replacement	unknown ii duniagod
(3) Non-OEM replacement (9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the nearest centimeter	14. Front Bumper Cover Material
(180) 180 centimeters or more	(O) No front contact
(999) Unknown	(1) Plastic
	(2) Fiberglass (3) Rubber
inches X 2.54 = centimeter	(4) Other (specify): Muminum w Rubben Sir
9. Hood Width Forward Opening	(9) Unknown
Code to the	15 Front Bumper Beinforgement Meterial
nearest centimeter	15. Front Bumper Reinforcement Material (0) No front contact
(210) 210 centimeters or more (999) Unknown	(1) Steel
(333) Olikilowii	(2) Aluminum
inches X 2.54 = centimeters	(3) Stainless Steel (4) Other (specify):
149	(9) Unknown
10. Hood Width Midway Code to the	
nearest centimeter	16. Front Bumper-Bottom Height
(210) 210 centimeters or more	Code to the nearest centimeter
(999) Unknown	(000) No front contact
inches X 2.54 = centimeters	(150) 150 centimeters or more
Continueters	(999) Unknown
	inches X 2.54 = centimeters

Nauc	mai Accident Gampling Cystem Grashworthiness Batt	- cyclonic roughland Extension to make the control of the control
17.	Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 =centimeters
18	Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
19	Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
	Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
300000		
l		Side Vertical Measurements
20	. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
20	nearest centimeter (000) No front contact (200) 200 centimeters or more	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
21	nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =
21	nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =

	_
29. Centerline of Wheel	Side Lateral Measurements
Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters	35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the nearest centimeter (250) 250 centimeters or more
30. Top of Tire Code to the nearest centimeter (000) No side contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	(999) Unknown inches X 2.54 = centimeters 36. Centerline to A-Pillar at Top of Windshield Code to the nearest centimeter (000) No side contact
31. Top of Wheel Well Opening Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown	(250) 250 centimeters or more (999) Unknown inches X 2.54 = centimeter 37. Centerline to Maximum Side View Mirror Protrusion Code to the
32. Bottom of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown	nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = centimeter Side Wrap Distance Measurements
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact
(300) 300 centimeters or more (999) Unknown inches X 2.54 = centimeters 34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact	(400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more
(300) 300 centimeters or more (999) Unknown inches X 2.54 = centimeters	(999) Unknown inches X 2.54 = centimeters

40.		to Centerline of Hood Code to the	000		
	(000) N (700) 7	nearest centimeter No side contact 700 centimeters or more Unknown			
41.	Ground	inches X 2.54 = to Head Contact Code to the	centimeters		
	(000) (000)	nearest centimeter No side contact 800 centimeters or more No head contact			
		Unknown inches X 2.54 =	centimeters		



82648P00010012 958.051000000000103F72000

82648P00010021 8.05 0000000002921654708713505013014983410010809600331999915 1010000000002

82648P00010131 8.05 00000000028534223170011322 82648P00010231 8.05 00000000026402781699713000

82648P01000041 8.05 0000000009219005021G6EL13B1NU 39904809600164000000

61110916011131212221232

PSU82 CASE 648P CURRENT VERSION: 8.05 ERROR SUMMARY SCREEN PEDESTRIAN STUDY

96

	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	· ·
Pedestrian Assessment	Ö	ó	Ö	Ý
Pedestrian Injury	Ó	ō	Ö	Ϋ́
Pedestrian General Vehicle	₽ 0	0	Ö	Ÿ
Pedestrian Exterior Vehic	le O	O	0	Υ
Total Inter Errors		0	o	
Total Case Errors	o	0	o	